

CLAIMS

What is claimed is:

- Sub B 57 1. A storage container comprising:
- a cover portion having a second series of hinge sections connected to said base portion;
 - a base portion having a first series of hinge sections;
 - a first inner lid portion including a first end with a third series of hinge sections connected to said base portion and said cover portion;
 - a second inner lid portion including a first end with a fourth series of hinge sections connected to said base portion and said cover portion;
 - wherein said first, second, third and fourth hinge sections cooperate to form a single elongated hinge;
 - said base and cover portions are closeable defining an outer shell and an internal space.
2. The storage container according to claim 1, wherein one of said base and cover portions include a latch, said latch being slidable between a first locked position and a second unlocked position.
- Sub C 27 3. The storage container according to claim 1, wherein said first and second inner lid portions are symmetric.

Sub B 67 4. The storage container according to claim 3, wherein said first and second inner lid portions each include a latch, said latch slidable between a first locked position for engaging said first and second inner lid portions to a respective one of said base portion and said cover portion and a second unlocked position for disengaging said first and second inner lid portions from said respective base and cover portions.

12 5. The storage container according to claim 4, wherein said first and second inner lid portions are transparent.

Sub B 77 6. The storage container according to claim 5, wherein said base and said cover portions includes at least one internal lateral divider wall having a series of locating tabs extending therefrom.

14 7. The storage container according to claim 6, further comprising at least one adjustable divider for selectively positioning between said locating tabs.

Sub B 87 8. The storage container according to claim 7, wherein said adjustable divider includes a first and second side having a first and a second end, said first and second sides are flared outwardly at said first and second ends.

Sub C4) 9. The storage container according to claim 1, wherein an outer side of said base and cover portions include recessed and extending portions such that the recessed portions of a first storage container cooperate to receive the extending portions of a second storage container to facilitate stackability.

Sub B9) 10. A storage container comprising:
a base portion;
a cover portion hingedly attached to said base portion, one of said base and cover portions including an inner side having a circumferential wall and at least one upright divider wall having a series of tabs extending therefrom, and at least one removable spacer adapted to selectively interfit with said tabs of said circumferential wall and said divider wall, said spacer having a first end section, middle section and second end section, said first and second end sections having larger cross sections than said middle section.

211. The storage container according to claim 10, wherein said at least one removable spacer is made from an elastomeric material.

Sub B10) 12. The storage container according to claim 10, wherein one of said base and cover portion include a latch, said latch slidable between a locked position and an unlocked position.

13. The storage container according to claim 10, further comprising first and second inner lids hingedly connected to said base portion and said cover portion, said first and second inner lids each include a latch slidable between a locked position for engaging said first and second inner lid portions to said respective base and cover portions and an unlocked position.

14. The storage container according to claim 13, wherein said latch of one of said first and second lids abuts the other of said first and second lids when in an unlocked position as said base and cover portions are pivoted from an open position to a closed position.

15. A storage container, comprising:

a base portion;

a cover portion hingedly attached to said base portion;

a first and second inner lid each hingedly connected to said base portion and said cover portion, said first and second inner lids each including a latch slidable between a locked position for engaging said first and second inner lid portions to a respective base and cover portion and an unlocked position, wherein said latch of said first and second lids abuts the other latch of said first and second lids when in an unlocked position as said base and cover portions are pivoted from an open position to a closed position preventing said base and cover portions from fully closing.

add a¹7

ADD B¹¹